

MAHATHAMA GANDHI UNIVERSITY

BSc Computer Science IV Semester

Core 12 - VISUAL PROGRAMMING (BCS 401)

Multiple Choice Questions

1. One or more option button controls can be selected from _____ choices.

- A. multiple.
- B. single.
- C. dual.
- D. parallel.

ANSWER: A

2. _____ bar contains a set of tools to provide controls in the Form.

- A. Status.
- B. Tool
- C. Menu.
- D. Progress.

ANSWER: C

3. Debug window is the same as _____ window.

- A. procedure.
- B. object.
- C. form.
- D. code.

ANSWER: D

4. _____ is a data type that can be used to declare a text of maximum 10 million characters.

- A. String.
- B. Numeric.
- C. Single precision.
- D. Date.

ANSWER: A

5. A module-level is available to all the _____ in the module.

- A. data.
- B. procedures.
- C. event.
- D. task.

ANSWER: B

6. _____ variables are not reinitialized each time Visual basic invokes a procedure and thus retains or preserves value even when a procedure ends.

- A. Static.
 - B. Dynamic.
 - C. Virtual.
 - D. Currency.
- ANSWER: A

7. Code window consists of a _____ box and procedure list box.
- A. object.
 - B. event.
 - C. tool.
 - D. message.
- ANSWER: A

8. The ____ statement checks in the module for usage of any undeclared variables and reports an error to the user.
- A. looping.
 - B. iteration.
 - C. dim.
 - D. external.
- ANSWER: C

9. Dynamic arrays can be declared when the user may not know the _____ of the array at design time.
- A. exact column.
 - B. exact variable.
 - C. exact value.
 - D. exact size.
- ANSWER: D

10. Variables are named storage locations in memory, the value of which does not change during program _____.
- A. design.
 - B. execution.
 - C. debug.
 - D. modification.
- ANSWER: B

11. Variables of different data types when combined as a single variable to hold several related information is called as _____ data types.
- A. numeric.
 - B. user defined.
 - C. string.
 - D. byte.
- ANSWER: B

12. ____ function translates a numeric value to a variable.
- A. Message.
 - B. Build In.
 - C. Val.
 - D. Mod.
- ANSWER: C

13. ____ box provides a set of choices to the user.

- A. List.
- B. Command.
- C. Combo.
- D. Text.

ANSWER: A

14. All the controls in an array will have the same _____.

- A. Value.
- B. properties.
- C. address.
- D. location

ANSWER: B

15. The _____ property in Visual basic is common for many a tools.

- A. location.
- B. place.
- C. window status.
- D. name.

ANSWER: D

16. Option button can be grouped in a _____ control.

- A. label.
- B. text box.
- C. frame.
- D. check box.

ANSWER: C

17. A _____ bar appears in the top of the screen.

- A. title.
- B. menu.
- C. tool.
- D. debug.

ANSWER: A

18. A disabled menu item does not appear in the _____ bar.

- A. menu.
- B. standard.
- C. status.
- D. title.

ANSWER: A

19. A menu can include a maximum of ____ levels of sub menus.

- A. 2.
- B. 4.
- C. 6.
- D. 8.

ANSWER: C

20. Form_Mouse Down () procedure is executed when any mouse button is clicked in a free area of the _____.

- A. window.
 - B. form.
 - C. screen.
 - D. property.
- ANSWER: B

21. _____ is a tool used in visual basic to draw rectangle in the form.

- A. Textbox.
 - B. Option button.
 - C. Command button.
 - D. Shape.
- ANSWER: D

22. In visual basic _____ is the extension to represent project file.

- A. .frm.
 - B. .vbp.
 - C. .cls.
 - D. .txt.
- ANSWER: B

23. In default _____ numbers of tools exist in toolbox.

- A. 20.
 - B. 15.
 - C. 10.
 - D. 8.
- ANSWER: A

24. _____ method removes a dialog box from view.

- A. Display.
 - B. Active.
 - C. Hide.
 - D. Enabled.
- ANSWER: C

25. The _____ property of a form automatically sizes the picture loaded to it.

- A. auto size.
 - B. default.
 - C. size.
 - D. height.
- ANSWER: A

26. While entering a new project _____ option to be select from the dialog box.

- A. open exe.
 - B. standard exe.
 - C. activex exe.
 - D. activex dll .
- ANSWER: B

27. The _____ control used to insert image to the form.

- A. text box.
- B. shape.

- C. option.
 - D. picture.
- ANSWER: D

28. The Line method can be used to draw _____ shape in VB.

- A. rectangle.
- B. circle.
- C. ellipse
- D. oval

ANSWER: A

29. There can be only ____MDI form in an application.

- A. four.
- B. two.
- C. one.
- D. zero.

ANSWER: C

30. In Visual basic more than one child _____ is allowed to add in project.

- A. form.
- B. window.
- C. property.
- D. codings.

ANSWER: A

31. Status bar appears at the _____ of the MDI form.

- A. top.
- B. bottom.
- C. left.
- D. right.

ANSWER: B

32. The _____ keyboard refers to current form in Vb project.

- A. me.
- B. current.
- C. form.
- D. case.

ANSWER: A

33. Scroll bar is of _____ types in Visual basic for usage.

- A. two.
- B. four.
- C. five.
- D. six.

ANSWER: A

34. The width of any tool in visual basic can be changed at ____ time.

- A. run.
- B. debug.
- C. design.
- D. edit.

ANSWER: C

35. The Visual basic programming is _____ based programming concept in general.
- A. CUI.
 - B. logical.
 - C. concept.
 - D. GUI.

ANSWER: D

36. . The IDE stands for _____.
- A. Integrated Development Environment.
 - B. Integer Development Environment.
 - C. Information Development Environment
 - D. Internal Development Environment.

ANSWER: A

37. The _____ is a tool used for both the Input and output purpose.
- A. command button.
 - B. text box.
 - C. label.
 - D. list box.

ANSWER: B

38. _____ property is related with Command button specific for displaying picture
- A. Down picture.
 - B. Picture.
 - C. Height.
 - D. Object.

ANSWER: A

39. _____ is a tool used in form window for grouping the option button.
- A. Label.
 - B. Group.
 - C. Frame.
 - D. Shape.

ANSWER: C

40. The list of forms will display in tree like structure in _____ window.
- A. form.
 - B. project explorer.
 - C. property.
 - D. form layout.

ANSWER: B

41. The _____ menu used for adding tools in to existing tools box.
- A. file.
 - B. view.
 - C. project.
 - D. format.

ANSWER: C

42. The ____ menu is used for executing the program in Visual basic.

- A. run.
- B. tools.
- C. insert.
- D. window.

ANSWER: A

43. In visual basic the declaration of variables is done by ____ key word.

- A. int.
- B. dim.
- C. else
- D. declare.

ANSWER: B

44. In visual basic ____ types of scroll bars available in visual basic.

- A. two.
- B. three.
- C. four.
- D. five.

ANSWER: A

45. While designing the visual basic there are ____ methods used for adding a tools in to form window.

- A. five.
- B. four.
- C. three.
- D. two.

ANSWER: D

46. In VB the main form consist of more than one sub form is called ____.

- A. subordinate.
- B. child.
- C. super.
- D. second level.

ANSWER: B

47. The ____ is shortcut key used for execution of visual basic program.

- A. F7.
- B. F2.
- C. F5.
- D. F9.

ANSWER: C

48. Among the events in VB, the Load event is associated with ____ .

- A. command button.
- B. label.
- C. text box.
- D. form.

ANSWER: D

49. The Data Report designer is broken into ____ different sections.

- A. two.

- B. six.
- C. eight.
- D. ten.

ANSWER: B

50. ____ window is used to align the form execution in desired position or location.

- A. form layout.
- B. property.
- C. project explorer.
- D. coding.

ANSWER: A

51. In coding window, the programming statement has been written in the ____.

- A. block.
- B. group.
- C. event.
- D. property.

ANSWER: C

52. ____ event will execute automatically at the activation of the tool.

- A. GotFocus
- B. LostFocus
- C. Enabled.
- D. Click.

ANSWER: A

53. The ____ key is used as control key on moving around the form without mouse.

- A. Spacebar.
- B. enter.
- C. shift
- D. tab.

ANSWER: D

54. In command button the ____ property is used to change the label value for any content.

- A. name.
- B. font.
- C. caption.
- D. height.

ANSWER: C

55. In visual basic the ____ file consist of complete coding and form design.

- A. project.
- B. form.
- C. class.
- D. module.

ANSWER: A

56. Self Length Property is supported by ____ control in VB.

- A. label.
- B. text box.
- C. command button.

D. option button.

ANSWER: B

57. In multiple form based project the current form represented by ____ keyword.

- A. me.
- B. load.
- C. class.
- D. form.

ANSWER: A

58. Like text box, _____ is another tool used for display / output the information.

- A. input box.
- B. frame.
- C. label.
- D. message box.

ANSWER: D

59. Among the various properties of the tools in VB, in general _____ property is not supposed to change the value at maximum time.

- A. caption.
- B. name.
- C. height.
- D. color.

ANSWER: B

60. _____ property is used to hide the tool in run time by setting value as false.

- A. visible.
- B. enabled.
- C. hide.
- D. delete.

ANSWER: A

61. SDI stands for _____.

- A. Simple Document Interface.
- B. Single Document Interface.
- C. Sample Document Interface.
- D. Simple Document Internal.

ANSWER: A

62. _____ is a command used to come out of the loop.

- A. break.
- B. continue.
- C. case.
- D. elseif.

ANSWER: A

63. The component option is used to insert new tool in to the toolbox, _____ menu is used.

- A. file.
- B. view.
- C. project.
- D. help.

ANSWER: C

64. ___ boxes display information in a dialog box superimposed on the form.

- A. Input.
- B. Message.
- C. Text.
- D. List.

ANSWER: B

65. In VB the order in which you create the controls is the order used by using ___ key

- A. tab.
- B. Spacebar.
- C. caps.
- D. scroll.

ANSWER: A

66. In visual basic the _____ value is equivalent to the vb YES NO button in message box.

- A. 2.
- B. 4.
- C. 6
- D. 8.

ANSWER: B

67. The F5 is key pressed the ___ event of form is executed first.

- A. activate.
- B. got focus.
- C. initialize.
- D. paint procedure.

ANSWER: C

68. ASCII stands for _____.

- A. American Standard Code for Information Interchange.
- B. American Source Code for Information Interchange.
- C. American Source Code for Information Interface.
- D. American Standard Code for Interval Interface.

ANSWER: A

69. In coding window the _____ shortcut key is used to find the particular character or code.

- A. Ctrl + Q.
- B. Ctrl + F.
- C. Alt + F.
- D. Alt + Q.

ANSWER: B

70. The right hand drop down list box in the coding window is called _____ list box.

- A. procedure.
- B. event.
- C. task.
- D. content.

ANSWER: A

71. The ____ shortcut is used to get the QuickInfo option in visual basic.

- A. Ctrl + Q.
- B. Ctrl + Z.
- C. Ctrl + I.
- D. Ctrl + F.

ANSWER: C

72. In visual basic the, Visible property consists ____ state.

- A. 6.
- B. 4.
- C. 2.
- D. 1.

ANSWER: C

73. The ____ data type is the default and standard type used in programming side.

- A. variant.
- B. string.
- C. numeric.
- D. byte.

ANSWER: A

74. In data type the ____ prefix used to represent the Boolean data.

- A. bcl.
- B. bln.
- C. bct.
- D. bty.

ANSWER: B

75. The ____ function returns a string stored in a variant data type.

- A. Chr.
- B. Str.
- C. Char.
- D. String.

ANSWER: A

76. To run / to install the Visual basic 6.0 minimum of ____ ram capacity.

- A. 1 mb.
- B. 32 mb.
- C. 64 mb.
- D. 128 mb.

ANSWER: B

77. GUI stands for _____.

- A. Graphical User Interface.
- B. Graphical User Internal.
- C. Graphical User Information.
- D. Graphical User Interchange.

ANSWER: A

78. ____ option in project explorer window used display the coding of the program.

- A. View object.

- B. View code.
- C. View source.
- D. View design.

ANSWER: B

79. To open the property window for usage _____ shortcut key is used.

- A. F3.
- B. F2.
- C. F5.
- D. F4.

ANSWER: D

80. In visual basic form, the caption property content will reflect in _____ area.

- A. status .
- B. work.
- C. title.
- D. right.

ANSWER: C

81. The _____property is used in VB for maximum form at run time.

- A. window status.
- B. caption.
- C. name.
- D. window resize.

ANSWER: A

82. The _____ is a shortcut key used to replace the content by specific data in coding window.

- A. Ctrl + F.
- B. Ctrl + H.
- C. Ctrl + Z.
- D. Ctrl + U.

ANSWER: B

83. In declaration a variables _____ length of characters is allotted for a variable.

- A. 32.
- B. 64.
- C. 255.
- D. 128.

ANSWER: C

84. From the following _____ tool is used to display pictures in VB form.

- A. picture.
- B. shape.
- C. list box.
- D. check box.

ANSWER: A

85. In VB form, the name property can be named with alphabets; _____ is the maximum number of character allowed.

- A. 10.
- B. 20.

C. 40.

D. 50.

ANSWER: C

86. In command button, the ____ symbol is used to make the button with shortcut key access.

A. %.

B. &.

C. #.

D. @.

ANSWER: B

87. ____ is property is used to hide the content in textbox with some symbols.

A. Name.

B. caption.

C. hidden.

D. pass word char.

ANSWER: D

88. ____ property is used to set the flow of control in between the multiple controls.

A. Index.

B. Tab Value.

C. Tab Index.

D. Value.

ANSWER: C

89. The _____ number of events related to form execution.

A. 2.

B. 6.

C. 10.

D. 12.

ANSWER: B

90. The ____ is the function is used to display the picture using picture box.

A. picture().

B. load picture().

C. pic().

D. display picture().

ANSWER: B

91. The ____ concept is used to check for multiple conditions in VB.

A. for....loop.

B. if.

C. if elseif

D. while.

ANSWER: C

92. In the following logic, the condition is check at the end of the loop.

A. If.then.

B. For.

C. While.

D. do_While.

ANSWER: D

93. In for_loop operation ____ keyword is used to increment the value of variable for execution.
- A. else.
 - B. step.
 - C. incr.
 - D. select.

ANSWER: B

94. ____ is the keyword represents the end of the for_loop in Visual basic.
- A. next.
 - B. end.
 - C. close.
 - D. stop.

ANSWER: A

95. The ____ type of operator is used for checking comparing values.
- A. bits wise.
 - B. logic.
 - C. relational.
 - D. arithmetic.

ANSWER: C

96. The ____ is a keyword is used to combine two conditions for checking at same time.
- A. or.
 - B. and.
 - C. else.
 - D. loop.

ANSWER: B

97. In for_loop concept in visual basic ____ keyword is used to come out the loop immediately.
- A. exit.
 - B. out for.
 - C. exit for.
 - D. exit if.

ANSWER: C

98. The ____ statement is used to change the control to specified location without any condition.
- A. goto.
 - B. select.
 - C. else if.
 - D. while.

ANSWER: A

99. In list box concept ____ function is used to insert item to the list.
- A. addlist().
 - B. additem().
 - C. addcount().
 - D. adddata().

ANSWER: B

100. ____ function is used to delete all the data items be completely removed.

- A. list().
- B. listdel().
- C. listclear().
- D. listremove().

ANSWER: C

101. A complete repaint of a form or control can be enforced by _____ method.

- A. refresh.
- B. fresh.
- C. show.
- D. hide.

ANSWER: A

102. _____ event is fired when there is a change in the contents of the text box.

- A. Click.
- B. Got focus.
- C. Lost focus.
- D. Change.

ANSWER: D

103. _____ is used to link or embed object, display and manipulate data from other windows based applications.

- A. OLE.
- B. DLE.
- C. MLE.
- D. CLE.

ANSWER: A

104. The _____ event occurs when the form is closed by the user.

- A. load.
- B. click.
- C. double click.
- D. unload.

ANSWER: D

105. The _____ method is used to display a form object.

- A. show.
- B. hide.
- C. control.
- D. list.

ANSWER: A

106. A _____ is a window that contains application code and has other objects placed on it to create the user interface.

- A. code.
- B. object.
- C. form.
- D. explorer.

ANSWER: C

107. Visual basic project files are saved with an extension _____.

- A. .vbp
- B. .lmp
- C. .bvp
- D. .frm

ANSWER: A

108. Form files are saved with an extension _____.

- A. .frm.
- B. .prj.
- C. .vbp.
- D. .rfm.

ANSWER: A

109. The _____ box displays the name of the selected object associated with the form.

- A. object.
- B. list.
- C. combo.
- D. checkbox.

ANSWER: A

110. A _____ procedure is used to create and manipulate custom properties.

- A. mini.
- B. property.
- C. maxi.
- D. stored.

ANSWER: B

111. Writing code in _____ modules can create new objects.

- A. form.
- B. procedure.
- C. class.
- D. window.

ANSWER: C

112. _____ structure is for selectively executing a single block of statements from among multiple blocks of statements.

- A. Do case.
- B. Select-case.
- C. For Next.
- D. Do While.

ANSWER: B

113. The _____ statement first executes the statements and then tests the condition after each execution.

- A. do-until.
- B. do-loop while.
- C. select-case.
- D. if endif.

ANSWER: B

114. The _____ function with symbols representing the date and time is used to print the formatted dates and times.

- A. String.
- B. Format.
- C. Val.
- D. date.

ANSWER: B

115. _____ is the function used to compare two strings.

- A. Strinv.
- B. StrComp.
- C. CompStr.
- D. String.

ANSWER: B

116. The _____ function returns the intervals between two dates in terms of years, months or days.

- A. datediff.
- B. dateiff.
- C. diffdate.
- D. dateinter.

ANSWER: A

117. The _____ function returns the length of string.

- A. length.
- B. len.
- C. strlen.
- D. lenstr.

ANSWER: B

118. _____ function returns a Variant (Long) specifying the position of the first occurrence of one string within another.

- A. StrIn.
- B. InStr.
- C. StrVar.
- D. VarStr.

ANSWER: B

119. The value property of the scroll bar represents its current value which may be any integer between _____ and _____ value.

- A. mini,maxi.
- B. large,short.
- C. high,low.
- D. minimum, maximum.

ANSWER: D

120. A Combobox combines the feature of _____ and _____.

- A. listbox,optionbutton.
- B. textbox,checkbox.
- C. listbox,scrollbar.
- D. textbox, listbox.

ANSWER: D

121. _____ method removes list entries from a list box at run time.

- A. Item remove.
- B. Delete.
- C. Remove item.
- D. Erase.

ANSWER: B

122. Control arrays are added at run time using _____ statement.

- A. unload object.
- B. load object.
- C. form load.
- D. form unload.

ANSWER: B

123. _____ statement removes a control from an array.

- A. Unload Object.
- B. Load Object.
- C. Form Load.
- D. Form Unload.

ANSWER: A

124. _____ is displayed as a horizontal line between items on a menu bar.

- A. Horizontal Bar.
- B. Separator Bar.
- C. Vertical Bar.
- D. Split Bar.

ANSWER: B

125. Check mark can be placed on a menu item using _____ property.

- A. checked.
- B. unchecked.
- C. caption.
- D. text.

ANSWER: A

126. _____ argument is an integer called button.

- A. Second.
- B. First.
- C. Third.
- D. Fourth.

ANSWER: B

127. _____ event occurs when the user presses any mouse button.

- A. Mouse Up.
- B. Mouse Right.
- C. Mouse Left.
- D. MouseDown.

ANSWER: D

128. _____ argument gives the status of the SHIFT, CTRL and ALT keys.

- A. Second.
 - B. First.
 - C. Third.
 - D. Fourth.
- ANSWER: A

129. _____ and _____ functions are used to add predefined dialog boxes.

- A. Input() and MsgBox()
- B. MsgBox() and ListBox()
- C. Combobox() and Input()
- D. Input() and ListBox()

ANSWER: A

130. The common Dialog is used as a _____ that lets the user select and saves files.

- A. dialog box
- B. msgbox
- C. input box
- D. listbox

ANSWER: A

131. _____ function specifies the file name and assigns the picture to the picture property.

- A. Unload picture
- B. Load picture
- C. Show picture
- D. List picture

ANSWER: B

132. _____ method sets the colour of an individual pixel.

- A. Reset
- B. Set
- C. Point
- D. Fixed

ANSWER: B

133. The point method returns the _____ of a particular pixel.

- A. color
- B. position
- C. coordinate
- D. center point

ANSWER: A

134. _____ property of an image control sizes the picture loaded to it.

- A. Undeclared variable
- B. Text
- C. Image
- D. Declared variable

ANSWER: D

135. _____ event occurs whenever the size of the form is changed.

- A. Size
- B. Change

- C. Resize
 - D. Fixed
- ANSWER: C

136. _____ method with _____ argument is used to cascade forms.

- A. Arrange, VbCascade
- B. Arrange, VbFill
- C. Arrange, VbUnfill
- D. Arrange, Cascade

ANSWER: A

137. A cell is an intersection of _____ and _____.

- A. row, rows
- B. row, column
- C. column, column
- D. row, line

ANSWER: B

138. _____ property is set to change the height of a cell.

- A. Row
- B. Column
- C. Column height
- D. Row height

ANSWER: D

139. _____ kinds of rows and columns are created in the Ms Flex Grid control.

- A. Two
- B. One
- C. Three
- D. Four

ANSWER: A

140. _____ is a process involving a minimum of two independent entries one being the client and the other is the server.

- A. Client/Server Architecture
- B. Client Architecture
- C. Server Architecture
- D. Network

ANSWER: A

141. The code in an application can be broken into logical components by _____ process.

- A. procedural
- B. modular
- C. function
- D. partitioning

ANSWER: D

142. A _____ is a collection of object classes that model the structure of a relational database system.

- A. ADO
- B. DAO

- C. RDO
 - D. DOA
- ANSWER: B

143. The _____ object is a stored query definition, which is a precompiled SQL statement.

- A. QueryDef
- B. QueryFix
- C. QueryDif
- D. QueryFed

ANSWER: A

144. _____ queries are SQL statements that perform specific actions on the database.

- A. Action
- B. Fixed
- C. Unfixed
- D. Select

ANSWER: A

145. The _____ method creates a connection between the application and the ODBC database and assigns it to a database type object.

- A. FixedDatabase
- B. SelectDatabase
- C. CreateDatabase
- D. OpenDatabase

ANSWER: D

146. The Data control implements data access by using the _____.

- A. Microsoft Jet Database Engine
- B. Microsoft RDO
- C. Microsoft ADO
- D. Microsoft DAO

ANSWER: A

147. Visual basic Programming is an _____ driven programming concept.

- A. task.
- B. event.
- C. flow.
- D. execution.

ANSWER: B

148. The _____ method of the connection object is used to run the queries against the database.

- A. Open Resultset
- B. Close Resultset
- C. Fix Resultset
- D. Unfix Resultset

ANSWER: A

149. The print command in Visual basic programming is used to _____.

- A. give output
- B. print the form content
- C. display the content in form

D. find error

ANSWER: C

150. _____ of the query designer interface displays the input sources for querying.

A. Select

B. Diagram

C. Image

D. Result

ANSWER: B

151. A _____ object represents a connection to a remote database used as a data source for the associated commands.

A. connection

B. RDO

C. ADO

D. fixed

ANSWER: A

152. _____ control displays data that is calculated at runtime, using built-in functions, as the report is generated.

A. Caption

B. Text

C. Connection

D. Function

ANSWER: D

153. _____ property is used to change the label value of command button.

A. value.

B. caption.

C. text.

D. name.

ANSWER: B

154. The integer data type is range form _____ .

A. -32,768 to 32,767

B. -33,768 to 33768

C. -2,147,483,648 to 2,147,483,648

D. -,147,483,648 to 3,147,483,648

ANSWER: A

155. _____ occurs when the user presses any mouse button.

A. MouseUp

B. MouseDown

C. MouseRight

D. MouseLeft

ANSWER: B

156. Each menu control array element is identified by a unique index value, indicated in the _____ property box on the menu editor.

A. number

B. index

- C. array
 - D. value
- ANSWER: B

157. _____property of an Image control is used to automatically resize a picture and place it inside the control.

- A. Stretch
 - B. Image
 - C. Resize
 - D. Control
- ANSWER: A

158. _____ is the process of clicking the mouse button in a control and moving the mouse while holding down the mouse button.

- A. Dropping
 - B. Cutting
 - C. Moving
 - D. Dragging
- ANSWER: D

159. _____ function returns the intervals between two dates in terms of years, months or days.

- A. DateDiff()
 - B. DateIn()
 - C. DateFix()
 - D. DiffDate()
- ANSWER: A

160. _____ array size always remains the same.

- A. Fixed-size
 - B. Dynamic
 - C. Preserve
 - D. Multidimension
- ANSWER: A

161. The _____keyword is used when we want Visual Basic to create a new instance of the original object.

- A. constructor
 - B. destructor
 - C. preprocessor
 - D. intermediate
- ANSWER: B

162. _____ array size can be changed at run-time.

- A. Preserve
 - B. Multidimension
 - C. Fixed-size
 - D. Dynamic array
- ANSWER: D

163. A specific object can be referenced by an object variable of that object type using the _____keyword.

- A. generic

- B. static
 - C. dynamic
 - D. ungeneric
- ANSWER: A

164. The role of the _____ is to free the space allocated in the constructor.

- A. old
- B. new
- C. memory
- D. object

ANSWER: B

165. A _____ control variable can refer to any control on any form in an application.

- A. reset
- B. set
- C. static
- D. dynamic

ANSWER: B

166. _____ can be built by adding custom properties to a Form and then they can be used as templates for new objects.

- A. Objects
- B. Controls
- C. Tools
- D. Classes

ANSWER: D

167. Class modules have two events ____ and ____.

- A. initialize, terminate
- B. initialize, interrupt
- C. terminate, interrupt
- D. interrupt, exception

ANSWER: A

168. The _____ method is used to read a value of a property of control from container form file.

- A. ReadProperty
- B. WriteProperty
- C. TextProperty
- D. ScanProperty

ANSWER: A

169. An ActiveX EXE, otherwise called as an _____ server

- A. inprocess
- B. out of process
- C. remote
- D. active

ANSWER: B

170. Hyper link is a web based object that is used to navigate to another document using the _____ method.

- A. Navigate out

- B. Navigate to
- C. Navigate set
- D. Navigate in

ANSWER: B

171. An _____ is an object that we place on a form to enable or enhance a users interaction with an application.

- A. ActiveX control
- B. Module
- C. Procedure
- D. Control

ANSWER: A

172. The _____ control is used to create a hierarchy that shows at least 2 or more levels of a database.

- A. form view
- B. tool view
- C. level view
- D. tree view

ANSWER: D

173. A _____ control is a frame that can contain of several panels, which inform the user of the status of an application. The control can hold upto 16 frames.

- A. frame bar
- B. status bar
- C. list bar
- D. tool bar

ANSWER: B

174. A _____ control acts like the dividers in a note book or the labels on a group of file folders.

- A. tool strip
- B. window strip
- C. control strip
- D. tab strip

ANSWER: D

175. The changes are saved in a transaction using _____ operation.

- A. rollback
- B. truncate
- C. commit
- D. store

ANSWER: C

176. _____ allows us to build a query in a graphical user interface without having to learn SQL.

- A. Query designer
- B. Form designer
- C. Report designer
- D. Table designer

ANSWER: A

177. The _____ menu is used to add a new tool in the tools box.

- A. Project

- B. File
- C. Edit
- D. View

ANSWER: A

178. A web browser control can accept _____ targets by default.

- A. select and deselect shortcuts
- B. drag and drop shortcuts
- C. cut and paste shortcuts
- D. copy and paste shortcuts

ANSWER: B

179. The _____ control is always cleared if the users leave the page and then use the back button to return to the page.

- A. password field
- B. user field
- C. text field
- D. tab field

ANSWER: A

180. The _____ control is used for accepting multiple lines of standard text with a scroll bar attached.

- A. frame area
- B. text area
- C. multiline area
- D. label area

ANSWER: B

181. The _____ object to save a query definition in our application.

- A. text
- B. label
- C. save
- D. command

ANSWER: D

182. The _____, commonly known as stored procedures, perform an action on the database without returning a record set.

- A. action query
- B. select query
- C. rollback query
- D. commit query

ANSWER: A

183. The _____ method fills the combo box item.

- A. add item
- B. addition
- C. list
- D. addlist

ANSWER: A

184. The _____ property of the file list box is updated according to the selected file type.

- A. fill

- B. pattern
- C. list
- D. select

ANSWER: B

185. A _____ access file is like a database.

- A. random
- B. sequential
- C. dynamic
- D. static

ANSWER: A

186. _____ files are accessed byte by byte.

- A. Sequential
- B. Dynamic
- C. Binary
- D. Random

ANSWER: C

187. _____ property can be used to copy, cut and paste from any text box that has focus.

- A. Active control
- B. ActiveX control
- C. Active DAO
- D. Active RDO

ANSWER: A

188. Any _____ typed in one text box can be cut, copied and pasted in the other text box.

- A. label
- B. data
- C. text
- D. word

ANSWER: C

189. _____ bugs are those that occur when we attempt to create the program executable file (EXE) or run the object.

- A. Run time
- B. Compile time
- C. Intermediate time
- D. Error time

ANSWER: B

190. The _____ in VB displays any required or optional parameters for methods.

- A. optional info
- B. auto incre info
- C. auto decre info
- D. auto quick info

ANSWER: C

191. DHTML is based on the _____, which is the hierarchy of web page elements.

- A. object document model
- B. document object model

- C. model document object
- D. document model object

ANSWER: B

192. _____ defines a line in the code window where VB suspends execution of application.

- A. ErrorPoint
- B. BreakPoint
- C. CompilePoint
- D. RunPoint

ANSWER: B

193. _____ returns a variant string containing a copy of a specified string without leading spaces and trailing spaces.

- A. Ltrim()
- B. Rtrim()
- C. Midtrim()
- D. Trim ()

ANSWER: D

194. _____ returns a date for a specified year, month and day.

- A. DateSerial()
- B. DateDiff()
- C. DateInst()
- D. DateOust()

ANSWER: A

195. _____ returns an integer containing the specified part of a given date.

- A. DateDiff()
- B. DatePart()
- C. DateDiff()
- D. DateInst()

ANSWER: B

196. Variables are used for storing values _____.

- A. temporarily
- B. permanently
- C. constantly
- D. variably

ANSWER: A

197. VB encounters a new variable it assigns the default variable type and value is called _____ declaration.

- A. explicit
- B. implicit
- C. external
- D. internal

ANSWER: B

198. _____ statement removes the form from the display and releases its memory.

- A. Unload
- B. Load

- C. Hide
 - D. Unhide
- ANSWER: A

199. The _____ and _____ properties should be set if the user wants the label to properly display variable length lines or varying numbers of lines.

- A. autoresize, wordwrap
- B. autosize, wordart
- C. autoresize, wordart
- D. autosize, wordwrap

ANSWER: D

200. If the user is interested in displaying multiple lines of text in a TextBox control, set the _____ property to true.

- A. multiline
- B. singleline
- C. single
- D. multi

ANSWER: A

201. Date and Time are internally stores as _____ in Visual Basic.

- A. strings
- B. numbers
- C. characters
- D. symbols

ANSWER: B

202. The _____ function in VB retrieves the date and time.

- A. date
- B. now
- C. datediff
- D. datenow

ANSWER: B

203. The individual elements of an array are identified using an _____.

- A. number
- B. character
- C. index
- D. value

ANSWER: C

204. _____ is named storage locations in memory, the value of which does not change during program execution.

- A. Constant
- B. Variable
- C. Static
- D. Dynamic

ANSWER: A

205. Variables of different data types when combined as a single variable to hold several relation informations are called a _____.

- A. user-defined data type
- B. user-undefined data type
- C. user-declared data type
- D. user-undeclared data type

ANSWER: A

206. When we want to change the size of the array without losing the previous data we have to use _____ keyword with the ReDim statement.

- A. preserve
- B. static
- C. dynamic
- D. permanent

ANSWER: A

207. A _____ variable is one that is declared inside a procedure.

- A. global
- B. external
- C. intrinsic
- D. local

ANSWER: D

208. A _____ variable is available to all the procedures in the module.

- A. procedure-level
- B. module-level.
- C. class-level
- D. object-level

ANSWER: B

209. The _____ displays a list of items from which a user can select one.

- A. listbox
- B. textbox
- C. combobox
- D. labelbox

ANSWER: A

210. _____ is a control used to display message and enter text.

- A. ListBox
- B. Combobox
- C. Labelbox
- D. TextBox

ANSWER: D

211. _____ control executes the timer events at specified intervals of time.

- A. Timer
- B. Clock
- C. Frame
- D. Digital

ANSWER: A

212. _____ control serves as a visual and functional container for controls.

- A. ListBox

- B. Frame
- C. Combobox
- D. Labelbox

ANSWER: B

213. _____ displays a text that the user cannot modify or interact with.

- A. List
- B. Combo
- C. Label
- D. Text

ANSWER: B

214. ComboBox contains a _____ and _____.

- A. textbox, listbox
- B. listbox, labelbox
- C. labelbox, textbox
- D. listbox, optionbox

ANSWER: A

215. MDI stands for _____.

- A. multiple document interface.
- B. multiple design interface.
- C. manipulated document interface.
- D. menu document interface.

ANSWER: A

216. A _____ control is used to create applications that present information in rows and columns.

- A. gridflex
- B. gridline
- C. flexline
- D. flexgrid

ANSWER: D

217. _____ method sets the colour of an individual pixel.

- A. PSet
- B. LSet
- C. SSet
- D. RSet

ANSWER: A

218. _____ method paints graphics at arbitrary locations.

- A. Picture
- B. PaintPicture
- C. ImagePicture
- D. Image

ANSWER: B

219. A _____ array is a group of controls that share the same name and type.

- A. control
- B. fixed
- C. static

D. local
ANSWER: A

220. The _____ is a commonly used control, which enables the user to select a value by positioning it at the desired location.

- A. verticalbar
- B. horizontalbar
- C. scrollbar
- D. menubar

ANSWER: C

221. Tooltips can be added to a button by setting a text to the _____ property of the command button.

- A. tooltip
- B. menutip
- C. listtip
- D. nametip

ANSWER: A

222. The text color of a command button can be set using the _____ property.

- A. backcolor
- B. forecolor
- C. fillcolor
- D. listcolor

ANSWER: B

223. A _____ is a set of menu items on a menu that share the same name and event procedure.

- A. menu control array
- B. control array
- C. list array
- D. static array

ANSWER: A

224. A _____ menu is a floating menu that is displayed over a form independent of the menu bar.

- A. pop-down
- B. pop-right
- C. pop-up
- D. pop-left

ANSWER: C

225. _____ boxes are used to display information to the user and to prompt the user for the data needed to continue an application.

- A. MsgBox
- B. Inputbox
- C. Listbox
- D. Dialog

ANSWER: D

226. A shape control is a visual element that contains several _____ shapes.

- A. defined
- B. predefined

- C. lateral
 - D. formlevel
- ANSWER: B

227. Child forms are displayed within the _____ area of a MDI Form at run time.

- A. internal
- B. external
- C. limited
- D. unlimited

ANSWER: A

228. The _____ property of controls collection returns the number of controls on the form.

- A. countline
- B. count
- C. linecount
- D. numbercount

ANSWER: B

229. A _____ control in visual basic is used to create applications that present information in rows and columns.

- A. MSFlexGrid
- B. MSGridFlex
- C. MSGridLine
- D. MSLineGrid

ANSWER: A

230. _____ method is used to draw and fill boxes.

- A. Fill
- B. Draw
- C. Line
- D. Image

ANSWER: C

231. The _____ and _____ properties specify the current cell in a MSFlexGrid.

- A. row, col
- B. col, cols
- C. row, rows
- D. row, cell

ANSWER: A

232. A _____ method is used to draw a variety of circular and elliptical shapes.

- A. line
- B. square
- C. circle
- D. shape

ANSWER: C

233. A _____ dialog box does not allow the user to continue with other applications unless it is closed or unloaded.

- A. modeless
- B. modal

C. modalless

D. modalfull

ANSWER: B

234. The _____ dialog box allows shifting of focus between the dialog box and another form without closing the dialog box.

A. modal

B. modalfull

C. modeless

D. modaladd

ANSWER: C

235. _____ occurs when the user releases any mouse button.

A. MouseDown

B. MouseUp

C. MouseLeft

D. MouseRight

ANSWER: B

236. MSDN Stands for _____

A. microsoft domain network

B. microsoft developer network

C. microsoft Dial network

D. microsoft Dynamic network

ANSWER: B

237. The various properties in property window are arranged in _____ order.

A. Alphabetical

B. Sequential

C. Binary

D. Descending

ANSWER: A

238. In date data type the _____ byte is require for storing data.

A. 10

B. 6

C. 8

D. 2

ANSWER: C

239. The _____ number of characters are allowed for naming the variables.

A. 128

B. 255

C. 64

D. 32

ANSWER: B

240. Normally declared in the general section of the codes' windows using the _____ statement.

A. dim

B. int

C. str

D. val
ANSWER: A

241. _____ allows a procedure to be repeated as many times as long as the processor could support
A. looping
B. reserved words
C. leywrods
D. data type

ANSWER: A

242. _____ indicates that the function is applicable to the whole program
A. private
B. public
C. local
D. global

ANSWER: B

243. _____ are the operations that an object can perform.
A. methods
B. class
C. objects
D. variables

ANSWER: A

244. Event-driven languages are ____
A. FORTRAN based
B. Are used to write procedural languages
C. OOP
D. Designed to make programming GUI easier

ANSWER: D

245. Which of the following is not part of the IDE _____
A. Code editor window
B. General window
C. Form layout window
D. Properties window

ANSWER: B

246. The application name always appears in the ____
A. Properties window
B. Intermediate window
C. Title bar
D. Code window

ANSWER: C

247. In visual basic controls are also called as _____
A. Objects
B. Rules
C. Part of the menus
D. Code

ANSWER: A

248. The location of the form on the desktop during execution is determined by the _____

- A. Form Designer window
- B. Project Explorer window
- C. Context Menu
- D. Form Layout window

ANSWER: D

249. Visual Basic forms are identified by a _____

- A. .frm suffix
- B. .mak suffix
- C. .for suffix
- D. A special icon

ANSWER: A

250. The _____ control is used for checking the multiple option in given list

- A. radio button
- B. check box
- C. list box
- D. text box

ANSWER: B