



International and Inter University Centre for Nanoscience and Nanotechnology

MahatmaGandhiUniversity
Kottayam-686560,Kerala,India

Tel:0481-

2731043,2731669(Office),09447671962(Mobile)

E-mail:<nkkalarikkal@mgu.ac.in>,

<cnnmgu@gmail.com>

Dr. NandakumarKalarikkal
Hon:Director

Date: 10/01/2019

Quotation No.22/Qut-TendIIUCNN/2018-2019

INVITING QUOTATION

Competitive quotations are invited from companies/firms/ Licensed Contractors for electrification of Vibrating SambleMagneto Meter Room below at the International and Inter University Centre for Nanoscience and Nanotechnology (IIUCNN), Mahatma Gandhi University, Kottayam.

Names of the equipments	Electrification of VSM –Lab
Last date and time of submission of relevant documents by speed post	21.01.2019. at 2PM
Date and time of opening of technical bid	22.01.2019 at 10AM
Date and time of opening of financial bid	22.01.2019 at 10.30 AM

IIUCNN reserve the right to accept or reject any/all quotations without assigning any reason whatsoever. For more details, please visit www.iiucnn.com or <https://www.mgu.ac.in/>

Regards

Hon.Director

Specification of Electrical Installation

1. Supply and fixing of 4 way (8+12) Double cover DB
2. Supply and fixing of FN-TPN S_D IN SS Enclosure 63 A
3. Supply and laying of 35 sqmm 3.5 C armored aluminium cable
4. Supply and fixing of 63 A four pole isolator
5. Supply and fixing of 6-32 A SP MCB
6. Supply and fixing of 3 2Pole 3 pole ISOLATOR
7. Supply and providing end termination and glanding of 35 sqmm cable
8. Supply and laying swg along with cable.
9. Light 10 nos.
10. 5A plug 20nos.
11. 16A plug 5nos.
12. AC Point 32 APP
13. 3Phase Dr
14. 4 way -3
15. 8way 5p
16. DB main vertical
17. MCCB 63 A
18. Isolator 40 A
19. MCB 20A
20. 2 Pole 40A
21. Copper 12 swga
22. Copper 14 SWG
23. Cable 35 SQmm
24. Cable g and 35 mm
25. 1.5 mm wire
26. 2.5 mm wire 50 mtr
27. 4mm wire 40 mtr
28. 6mm wire 30 mtr
29. 10mm wire 20 mtr
30. MCB 10A3
31. LED Light 6w
32. Tube set Cropton
33. Earth

1. The quoted Price should be inclusive of all taxes/freight/Installation etc
2. Customs/ Excise Duty Exempted price should also be quoted
3. The quotation should have at least Three Months validity
4. Brand name of the equipments should be mentioned and Brochure to be enclosed
5. Warranty conditions, nearest servicing centers details, user reference, necessary supporting catalogues and demonstration should be provided
6. The right to accept or reject quotes without assigning any reason rests entirely with the undersigned
7. If the product has a Valid DGS & D rate contract, it may be quoted
8. If the date of receipt and opening of quotation is declared a holiday, the next working day shall be the last day for the purpose.
9. Atleast two users should be trained by the application engineers during the time of installation.
