



INTER UNIVERSITY CENTRE FOR BIOMEDICAL RESEARCH & SUPER SPECIALITY HOSPITAL

(An Autonomous Institution of Govt. of Kerala under Mahatma Gandhi University)
Rubber Board P.O., Thalappady, Kottayam, Kerala – 686 009, India



No. 161/A1/2018/IUCBR&SSH

Dated : 09.05.2019

TENDER NOTICE

Sealed competitive tenders, super scribed “**No. 161/A1/2019/IUCBR&SSH Dated: 09.05.2019 Compact Small Brain Stereotaxic Apparatus**”, are invited from reputed firms for the supply and installation of **Compact Small Brain Stereotaxic Apparatus** at Inter University Centre for Biomedical Research and Super Speciality Hospital (IUCBR & SSH) so as to reach the office of the undersigned not later than **3.00 PM** on **25.05.2019**. Tenders will be opened at **3:30 PM** on **25.05.2019**.

SI No.	Name of Equipment & Specifications	Qty
01	Compact Small Brain Stereotaxic Apparatus for Rats with a Sturdy Base and Single manipulator	01 (One)

Earnest Money Deposit (EMD) calculated @ **1% of the Purchase Assessment Cost (PAC)**, subject to a minimum of **Rs. 1500/-**, should be paid by the firm. The E.M.D. should be furnished in the form of Demand Draft in favour of **Director, IUCBR & SSH** along with sealed tenders.

Tender form and other details can be had from the office of IUCBR & SSH on all working days, by paying the **Tender Fee @ 0.2% of PAC rounded to the nearest multiple of Rs.100, subject to a minimum of Rs. 400/- and maximum of Rs. 1500/- + GST @ 12%**.


For ensuring the guarantee, terms and conditions, etc. relating to the article supplied, an Agreement on stamp paper worth Rs.200/- must be submitted by the qualified bidder along with a Security Deposit @ 5% of the PAC.

Sealed Envelope containing tenders shall be addressed to **INTER UNIVERSITY CENTRE FOR BIOMEDICAL RESEARCH AND SUPER SPECIALITY HOSPITAL (IUCBR&SSH), SME CAMPUS, RUBBER BOARD P O, THALAPPADY, KOTTAYAM, 686 009**

TERMS AND CONDITIONS:-

1. The quoted Price should be inclusive of all taxes/freight/Installation etc.
2. Customs/ Excise Duty Exempted price should also be quoted
3. The tenders should have at least Three Months validity
4. Brochure of different models quoted should be enclosed
5. Warranty conditions, nearest servicing centers details, user reference, necessary supporting catalogues and demonstration should be provided

INTER UNIVERSITY CENTRE FOR MEDICAL RESEARCH
& SUPER SPECIALITY HOSPITAL



6. The right to accept or reject tenders without assigning any reason rests entirely with the undersigned
7. If the product has a Valid DGS & D rate contract, it may be quoted
8. If the date of receipt and opening of tenders is declared a holiday, the next working day shall be the last day for the purpose.

J. P. Mohan 09.5.2019
Director

Copy to:

1. MG University (Content Management Section) – For uploading in website
2. MG University (PRO)
3. SF/OC

Security Deposit (EMD) calculated @ 1% of the Purchase Amount
should be paid by the firm. The
should be furnished in the form of Cashier's Order in favour of Director,
IUCBR & SSH along with sealed envelope.

Tender form and other details can be had from the office of IUCBR & SSH on all
working days by paying the Tender Fee @ 0.2% of PAC rounded to the nearest
multiple of Rs.100/- subject to a minimum of Rs. 400/- and maximum of Rs.
1000/- GST @ 12%.

For availing the guarantee, terms and conditions, etc. relating to the article supplied,
an Agreement on stamp paper worth Rs.200/- must be submitted by the qualified
bidder along with a Security Deposit @ 5% of the PAC.

Bidder Envelope containing tenders shall be addressed to INTER UNIVERSITY
CENTRE FOR MEDICAL RESEARCH AND SUPER SPECIALITY HOSPITAL
IUCBR/SSH/ SMC CAMPUS, RUBBER BOARD P. O., THALAPPADY,
KOTTAYAM 686 003

TERMS AND CONDITIONS:

1. The quoted Price should be inclusive of all taxes/freight/installation etc.
2. Customer Excise Duty Exempted price should also be quoted
3. The tenders should have at least Three Months validity
4. Brochure of different models quoted should be enclosed
5. Warranty conditions, nearest servicing center details, user reference,
necessary supporting catalogs and demerit should be provided